

## WORK PRACTICE DATA SHEET - THIS IS A SUMMARY ONLY - FULL REPORT AVAILABLE

HAZARDOUS SUBSTANCE. DANGEROUS GOODS. According to the Criteria of NOHSC, and the ADG Code.

## DNA Paints &amp; Special Coatings Grey Epoxy Primer Hardener

INGREDIENTS	CAS NO	%	8HR OEL
xylene	1330-20-7	50-100	350 mg/m <sup>3</sup>
diacetone alcohol	123-42-2	2.5-10	238 mg/m <sup>3</sup>
isobutanol	78-83-1	2.5-10	152 mg/m <sup>3</sup>
2,4,6-tris[[dimethylamino)methyl]phenol	90-72-2	2.5-10	-



UN No: 1263  
 Hazchem Code: •3Y  
 DG Class: 3  
 Subsidiary Risk: Not Applicable  
 Packing Group: III  
 Poisons Schedule: S6

## HEALTH HAZARD INFORMATION



## Acute Health Effects:

Harmful by inhalation and in contact with skin.  
 Irritating to skin.  
 Risk of serious damage to eyes.  
 May cause SENSITISATION by skin contact.  
 HARMFUL-May cause lung damage if swallowed.  
 Vapours may cause drowsiness and dizziness.

## PRECAUTIONS FOR USE



<b>Appropriate engineering controls:</b>	Local Exhaust Ventilation recommended.
<b>Glasses:</b>	Consider chemical goggles.
<b>Gloves:</b>	1.NITRILE 2.NEOPRENE
<b>Respirator:</b>	Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
<b>Storage and Transportation:</b>	Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report.
<b>Fire/Explosion Hazard:</b>	Flammable. Toxic smoke/fumes in a fire.
<b>Environment:</b>	Harmful to aquatic organisms.Use appropriate container to avoid environmental contamination.

## PROPERTIES



Liquid.  
 Does not mix with water.  
 Sinks in water.Flammable.

## EMERGENCY



## FIRST AID

<b>Swallowed:</b>	Give water (if conscious). Seek medical advice. Do NOT give milk or oil. Do NOT give alcohol.
<b>Eye:</b>	Wash with running water (15 mins). Medical attention.
<b>Skin:</b>	Remove contaminated clothing. Wash with soap & water.
<b>Inhaled:</b>	Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention.
<b>Advice To Doctor:</b>	Evaluate for respiratory distress. Consider lavage with cuffed tube. NO adrenalin.
<b>Fire Fighting:</b>	Foam.
<b>Spills and Disposal:</b>	Eliminate ignition sources. Prevent from entering drains. Contain spillage by any means. Absorb with dry agent. Stop leak if safe to do so.

## SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



x — Must not be stored together  
 0 — May be stored together with specific preventions  
 + — May be stored together



Chemwatch: 4656-93  
 Print Date: 06/05/2014  
 Issue Date: 01/01/2013