

WORK PRACTICE DATA SHEET - THIS IS A SUMMARY ONLY - FULL REPORT AVAILABLE

HAZARDOUS SUBSTANCE. DANGEROUS GOODS. According to the Criteria of NOHSC, and the ADG Code.

DNA Paints & Special Coatings Primer Tinter Black

INGREDIENTS	CAS NO	%	8HR OEL
propylene glycol monomethyl ether acetate, alpha-isomer	108-65-6	30-60	274 mg/m3
carbon black	1333-86-4	<10	3 mg/m3
naphtha petroleum, heavy, hydrotreated	64742-48-9.	10-30	-
ethoxylated alkyl ether phosphate	Not Available	<10	-



UN No: 1263
 Hazchem Code: •3Y
 DG Class: 3
 Subsidiary Risk: Not Applicable
 Packing Group: III
 Poisons Schedule: S5

HEALTH HAZARD INFORMATION




Acute Health Effects:	Irritating to eyes. HARMFUL-May cause lung damage if swallowed.
Chronic Health Effects:	Limited evidence of a carcinogenic effect. May cause harm to the unborn child. * – limited evidence

PRECAUTIONS FOR USE



Appropriate engineering controls:	Local Exhaust Ventilation recommended.
Glasses:	Consider chemical goggles.
Gloves:	PVC chemical resistant type.
Respirator:	Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
Storage and Transportation:	Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report.
Fire/Explosion Hazard:	Flammable. Toxic smoke/fumes in a fire.

PROPERTIES



Liquid.
Does not mix with water. Flammable.

EMERGENCY



FIRST AID

Swallowed:	Give water (if conscious). Seek medical advice. Do NOT give milk or oil. Do NOT give alcohol.
Eye:	Wash with running water.
Skin:	Remove contaminated clothing. Wash with soap & water.
Inhaled:	Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention.
Advice To Doctor:	Evaluate for respiratory distress. Consider lavage with cuffed tube. NO adrenalin.
Fire Fighting:	Foam.
Spills and Disposal:	Eliminate ignition sources. Prevent from entering drains. Contain spillage by any means. Absorb with dry agent. Stop leak if safe to do so.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



x — Must not be stored together
 0 — May be stored together with specific preventions
 + — May be stored together



Chemwatch: 31-5245
 Print Date: 06/05/2014
 Issue Date: 01/01/2013

WORK PRACTICE DATA SHEET - THIS IS A SUMMARY ONLY - FULL REPORT AVAILABLE

HAZARDOUS SUBSTANCE. DANGEROUS GOODS. According to the Criteria of NOHSC, and the ADG Code.

DNA Paints & Special Coatings Primer Tinter Green

INGREDIENTS	CAS NO	%	8HR OEL
propylene glycol monomethyl ether acetate, alpha-isomer	108-65-6	30-60	274 mg/m3
naphtha petroleum, heavy, hydrotreated	64742-48-9.	<10	-
tridecyl alcohol, ethoxylated, phosphated	9046-01-9	<10	-
alcohols C11-14-iso-, C13-rich, ethoxylated	78330-21-9	<4	-



UN No: 1263
 Hazchem Code: •3Y
 DG Class: 3
 Subsidiary Risk: Not Applicable
 Packing Group: III
 Poisons Schedule: Not Applicable

HEALTH HAZARD INFORMATION




Acute Health Effects:	Irritating to eyes. HARMFUL-May cause lung damage if swallowed.
Chronic Health Effects:	May cause harm to the unborn child. * – limited evidence

PRECAUTIONS FOR USE



Appropriate engineering controls:	Local Exhaust Ventilation recommended.
Glasses:	Consider chemical goggles.
Gloves:	PVC chemical resistant type.
Respirator:	Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
Storage and Transportation:	Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report.
Fire/Explosion Hazard:	Flammable. Toxic smoke/fumes in a fire.

PROPERTIES



Liquid.
Does not mix with water. Flammable.

EMERGENCY



FIRST AID

Swallowed:	Give water (if conscious). Seek medical advice.
Eye:	Wash with running water.
Skin:	Remove contaminated clothing. Wash with soap & water.
Inhaled:	Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention.
Fire Fighting:	Foam.
Spills and Disposal:	Eliminate ignition sources. Prevent from entering drains. Contain spillage by any means. Absorb with dry agent. Stop leak if safe to do so.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



x — Must not be stored together
 0 — May be stored together with specific preventions
 + — May be stored together



Chemwatch: 31-5247
 Print Date: 06/05/2014
 Issue Date: 01/01/2013

WORK PRACTICE DATA SHEET - THIS IS A SUMMARY ONLY - FULL REPORT AVAILABLE

HAZARDOUS SUBSTANCE. DANGEROUS GOODS. According to the Criteria of NOHSC, and the ADG Code.

DNA Paints & Special Coatings Primer Tinter Yellow

INGREDIENTS	CAS NO	%	8HR OEL
propylene glycol monomethyl ether acetate, alpha-isomer	108-65-6	8-25	274 mg/m3
n-butyl acetate	123-86-4	8-27	713 mg/m3
toluene	108-88-3	<8	191 mg/m3
xylene	1330-20-7	<9	350 mg/m3



UN No: 1263
 Hazchem Code: •3YE
 DG Class: 3
 Subsidiary Risk: Not Applicable
 Packing Group: II
 Poisons Schedule: S5

HEALTH HAZARD INFORMATION



Acute Health Effects:	Irritating to eyes. HARMFUL-May cause lung damage if swallowed. Vapours may cause drowsiness and dizziness.
Chronic Health Effects:	Repeated exposure may cause skin dryness and cracking. * – limited evidence

PRECAUTIONS FOR USE



Appropriate engineering controls:	Local Exhaust Ventilation recommended.
Glasses:	Consider chemical goggles.
Gloves:	1.PE/EVAL/PE 2.PVA 3.TEFLON
Respirator:	Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
Storage and Transportation:	Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report.
Fire/Explosion Hazard:	HIGHLY FLAMMABLE. Toxic smoke/fumes in a fire.

PROPERTIES



Liquid.
Does not mix with water.Highly flammable.

EMERGENCY



FIRST AID

Swallowed:	Give water (if conscious). Seek medical advice. Do NOT give milk or oil. Do NOT give alcohol.
Eye:	Wash with running water.
Skin:	Remove contaminated clothing. Wash with soap & water.
Inhaled:	Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention.
Advice To Doctor:	Evaluate for respiratory distress. Consider lavage with cuffed tube. NO adrenalin.
Fire Fighting:	Keep containers cool. Foam.
Spills and Disposal:	Eliminate ignition sources. Consider evacuation. Prevent from entering drains. Contain spillage by any means. Absorb with dry agent. Stop leak if safe to do so.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



x — Must not be stored together
 0 — May be stored together with specific preventions
 + — May be stored together



Chemwatch: 31-5249
 Print Date: 06/05/2014
 Issue Date: 01/01/2013

WORK PRACTICE DATA SHEET - THIS IS A SUMMARY ONLY - FULL REPORT AVAILABLE

HAZARDOUS SUBSTANCE. DANGEROUS GOODS. According to the Criteria of NOHSC, and the ADG Code.

DNA Paints & Special Coatings Primer Tinter Blue

INGREDIENTS	CAS NO	%	8HR OEL
propylene glycol monomethyl ether acetate, alpha-isomer	108-65-6	10-30	274 mg/m3
naphtha petroleum, heavy, hydrotreated	64742-48-9.	10-30	-
other non hazardous ingredients, proprietary	Not Available	30-60	-
organic phosphate ester	Not Available	<10	-



UN No: 1263
 Hazchem Code: •3Y
 DG Class: 3
 Subsidiary Risk: Not Applicable
 Packing Group: III
 Poisons Schedule: S5

HEALTH HAZARD INFORMATION




Acute Health Effects:	Irritating to eyes. HARMFUL-May cause lung damage if swallowed.
Chronic Health Effects:	May cause harm to the unborn child. * - <i>limited evidence</i>

PRECAUTIONS FOR USE



Appropriate engineering controls:	Local Exhaust Ventilation recommended.
Glasses:	Consider chemical goggles.
Gloves:	PVC chemical resistant type.
Respirator:	Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
Storage and Transportation:	Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report.
Fire/Explosion Hazard:	Flammable. Toxic smoke/fumes in a fire.

PROPERTIES



Liquid.
Does not mix with water. Flammable.

EMERGENCY



FIRST AID

Swallowed:	Give water (if conscious). Seek medical advice. Do NOT give milk or oil. Do NOT give alcohol.
Eye:	Wash with running water.
Skin:	Remove contaminated clothing. Wash with soap & water.
Inhaled:	Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention.
Advice To Doctor:	Evaluate for respiratory distress. Consider lavage with cuffed tube. NO adrenalin.
Fire Fighting:	Foam.
Spills and Disposal:	Eliminate ignition sources. Prevent from entering drains. Contain spillage by any means. Absorb with dry agent. Stop leak if safe to do so.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



x — Must not be stored together
 0 — May be stored together with specific preventions
 + — May be stored together



Chemwatch: 31-5246
 Print Date: 06/05/2014
 Issue Date: 01/01/2013

WORK PRACTICE DATA SHEET - THIS IS A SUMMARY ONLY - FULL REPORT AVAILABLE

HAZARDOUS SUBSTANCE. DANGEROUS GOODS. According to the Criteria of NOHSC, and the ADG Code.

DNA Paints & Special Coatings Primer Tinter Red

INGREDIENTS	CAS NO	%	8HR OEL
propylene glycol monomethyl ether acetate, alpha-isomer	108-65-6	8-25	274 mg/m3
n-butyl acetate	123-86-4	2-7	713 mg/m3
xylene	1330-20-7	<3	350 mg/m3
toluene	108-88-3	<1.5	191 mg/m3



UN No: 1263
 Hazchem Code: •3Y
 DG Class: 3
 Subsidiary Risk: Not Applicable
 Packing Group: III
 Poisons Schedule: Not Applicable

HEALTH HAZARD INFORMATION

Acute Health Effects: Irritating to eyes.
 HARMFUL-May cause lung damage if swallowed.

PRECAUTIONS FOR USE

Appropriate engineering controls: Local Exhaust Ventilation recommended.

Glasses: Consider chemical goggles.

Gloves: 1.PE/EVAL/PE 2.PVA 3.TEFLON

Respirator: Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Storage and Transportation: Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report.

Fire/Explosion Hazard: Flammable.
 Toxic smoke/fumes in a fire.

PROPERTIES

Liquid.
 Does not mix with water.Flammable.

EMERGENCY**FIRST AID**

Swallowed:	Give water (if conscious). Seek medical advice. Do NOT give milk or oil. Do NOT give alcohol.
Eye:	Wash with running water.
Skin:	Remove contaminated clothing. Wash with soap & water.
Inhaled:	Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention.
Advice To Doctor:	Evaluate for respiratory distress. Consider lavage with cuffed tube. NO adrenalin.
Fire Fighting:	Foam.
Spills and Disposal:	Eliminate ignition sources. Prevent from entering drains. Contain spillage by any means. Absorb with dry agent. Stop leak if safe to do so.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS

x — Must not be stored together
 0 — May be stored together with specific preventions
 + — May be stored together



Chemwatch: 31-5248
 Print Date: 06/05/2014
 Issue Date: 01/01/2013